Revised 07/03

DUE DATE

ACTION

## RECEIVED

## STATE OF COLORADO

CORRES. CONTROL INCOMING LTR NO.

00703 RFQ3

R NO. Bill Owens, Governor Douglas H. Benevento

2003 JUL 30 P 2: 37

Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the Realth and environment of the people of Colorado

4300 Cherry Creek Dr. S. Denver, Colorado 80246-1530 Phone (303) 692-2000 Laboratory and Radiation Services Division

8100 Lowry Blvd. Denver, Colorado 80230-6928

(303) 692-3090

TDD Line (303) 691-7700 Located in Glendale, Colorado http://www.cdphe.state.co.us

July 24, 2003

Colorado Department of Public Health and Environment

DIST.	LTR	ENC
BERARDINI, J. H. BOGNAR, E. S. CROCKETT, G. A.	X	
BOGNAR, E. S.	X	
CROCKETT, G. A.		
DECK C.A.	><	
DEGENHART, K. R.		
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D. W.	<b>  ×</b>	
FERRI, M. S.	-	
GIACOMINI, J. J.		
ISOM, J. H.	احزجا	
LINDSAY, D. C.	$\times$	
LONG. J. W.		
LYLE, J. L.	-	
MARTINEZ, L. A.	<del>                                      </del>	_
NAGEL, R. E.		
NORTH, K. PARKER, A. M.		
PARKER, A. M. RODGERS, A. D.		
RODGERS, A. D. SHELTON, D. C.		
SPEARS, M. S.		
TRICE, K. D.		
THOR M.D.	2	
WILLIAMS, J. L.	-	
VI 8.42 (11.52, V. 4.		
PARSONS D.	X	
,		
WIEMELTK	X	
•		
NESTA S.	X	
•		
BROOKS L.	X	
	_	

Mr. Joe Legare
Acting Assistant Manager for Environment and Stewardship
U.S. Department of Energy, Rocky Flats Field Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: Reconnaissance Level Characterization Report (RLCR) for Buildings 750, 764, 765, and Trailers 750A, B, C, D, F, & G - Concurrence

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the RLCR for Area 5 – Group 11 Closure Projects (Buildings 750, T750A, T750B, T750C, T750D, T750F, T750G, 764 and 765), Revision 0 dated May 29, 2003. Based on the information contained in this RLCR we are hereby concurring with the determination that Buildings 750, 764, 765, and Trailers 750A, B, C, D, F, and G are Type 1 Facilities.

In addition, since these facilities are still being used, a minimal investigation may need to be performed to confirm that contamination of these facilities has not occurred prior to initiating demolition activities. This final investigation should be coordinated with us utilizing the consultative process.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

COR. CONTROL	_X	
ADMN, RECORD	X	
PATS/130	-	
PAIS/130		

Reviewed for Addressee Corres. Control RFP

7/30/03 leg

Ref. Ltr. #

DOE ORDER# NoN∈ Sincerely,

Steven H. Gunderson RFCA Project Coordinator

Steve Tower, DOE

Tim Rehder, EPA Duane Parsons, KH

Midministrative Records Building T130G

Karen Wiemelt, KH Dave Shelton, KH Steve Nesta, KH



**ADMIN RECORD** 

IA-A-001552

DOCUMENT CLASSIFICATION REVIEW WAIVER PER CLASSIFICATION OFFICE